# **Invasive Trees of Georgia**

Dr. Kim D. Coder, Professor of Tree Biology & Health Care, Warnell School, UGA

Georgia has many species of trees. Some are native trees and some have been introduced from outside the state, nation, or continent. Most of Georgia's trees are well-behaved and easily develop into sustainable shade and street trees. A few tree species have an extrodinary ability to upsurp resources and take over sites from other plants. These trees are called invasive because they effectively invade sites, many times eliminating other species of plants.

There are a few tree species native to Georgia which are considered invasive in other parts of the country. These native invasives, may be well-behaved in Georgia, but reproduce and take over sites elsewhere, and so have gained an invasive status from at least one other invasive species list. Table 1.

There are hundreds of trees which have been introduced to Georgia landscapes. Some of these exotic / naturalized trees are considered invasive. The selected list of Georgia invasive trees listed here are notorious for growing rampantly and being difficult to eradicate. Table 2. They should not be planted.

Table 1:	Georgia native trees considered invasive in
	other parts of the country.

scientific name	common name	scientific name	common name
Acacia farnesiana Acer negundo	sweet acacia boxelder	Myrica cerifera Pinus taeda	Southern bayberry loblolly pine
Acer rubrum	red maple	Populus deltoides	Eastern
Fraxinus americana	white ash		cottonwood
Fraxinus pennsylvanica	green ash	Prunus serotina	black cherry
Gleditsia triacanthos	honeylocust	Robinia pseudoacacia	black locust
Juniperus virginiana	eastern	Toxicodendron vernix	poison sumac
	redcedar		

Table 2: Introduced (exotic) tree / shrub species found in Georgia listed at a regional / national level as being ecologically invasive.

Trees listed alphabetically by scientific name and includes the most widely used common name.

### scientific name

Acer pseudoplatanus

## common name

sycamore maple

tree-of-heaven Ailanthus altissima Albizia julibrissin mimosa Alnus glutinosa European alder Betula pubescens downy birch Broussonetia papyrifera paper-mulberry Cinnamomum camphora camphor tree Clerodendrum bungei rose glorybower Clerodendrum indicum turk's turbin

Clerodendrum trichotomum
Ligustrum japonicum
Ligustrum sinense
Melia azedarach
Morella rubra
Morus alba
Narlequin glorybower
Japanese privet
Chinese privet
chinaberry
red bayberry
white mulberry
Nicotiana glauca
Tree tobacco

<u>Paulownia tomentosa</u> royal paulownia <u>Pittosporum tobira</u> Japanese cheesewood

Populus alba white poplar
Populus nigra Lombardy poplar

<u>Populus nigra</u>
<u>Populus X canescens</u>
Lombardy poplar
gray poplar

Salix alba white willow
Salix babylonica weeping willow
Salix cinerea gray willow

Salix purpurea purpleosier willow

Salix X pendulina Wisconsin weeping willow

Salix X rubens crack willow

Sapindus mukorossiChinese soapberrySapium sebiferumChinese tallow-treeSenna corymbosaArgentine sennaTamarix gallicaFrench tamarisk

Tamarix pentandra tamarisk

Triadica sebifera Chinese tallow-tree

<u>Ulmus pumila</u> Siberian elm



# Thompson Mills Forest & State Arboretum of Georgia

# Citation:

Coder, Kim D. 2018. Invasive Trees of Georgia. Warnell School of Forestry & Natural Resources, University of Georgia, Thompson Mills Forest & State Arboretum Outreach Product. ARBORETUM-18-11. Pp.3.

# **ARBORETUM-18-11**

August 2018

The University of Georgia Warnell School of Forestry and Natural Resources offers educational programs, assistance and materials to all people without regard to race, color, national origin, age, gender or disability.

The University of Georgia is committed to principles of equal opportunity and affirmative action.